

1 **Board of Public Works**
2 **City of Tomahawk, City Council Chambers**
3 **23 N 2nd St, Tomahawk, WI 54487**
4 **January 27, 2026, at 5:30 p.m.**
5

6 **Call to Order:** Mayor Taskay called the meeting of the Board of Public Works to order at 5:30 p.m.
7

8 **Members Present:** Members present were Mayor Steven E. Taskay, Will Garske, Jeff, Kahle, Dale
9 Ernst, and Steve “Ding” Bartz.

10
11 Also present was Clerk/Treasurer Amanda L. Bartz, Street Leadsperson Nick Rosenmeier, Water
12 Leadsperson Glenn Hanna, Wastewater Leadsperson Rich Thiemer, Zach Garner from WJJQ Radio,
13 Jennifer Turkiewicz from Tomahawk Main Street, Inc., Michael “Hob” Habeck, and Jeff Koth.
14

15 **Public Comments:** There were no public comments.
16

17 **Approval of Checks and Vouchers:** GARSKE MOVED to approve checks 22411 to 22430 and two
18 (2) electronic payments in the amount of \$55,919.66. ERNST seconded. The VOTE was
19 unanimous.
20

21 **Treasurer’s Report:** ERNST MOVED to approve the Treasurer's Report and GARSKE seconded.
22 ERNST asked about the Sewer Budget for 2025. The VOTE was unanimous.
23

24 **Other Business:**

25 Review of the 2025/2026 Snow & Ice Budget: ROSENMEIER reviewed the salt and sand usage in
26 December and January. He stated that the cost of salt is \$127.30 per ton. BARTZ noted that when
27 we have our levy meetings, we need to inform the public that when we budget, it is for the best-
28 case scenario.
29

30 **Department Lead Reports**

31 Street Leadsperson Report: ROSENMEIER reported that they have been busy plowing, sanding, salting
32 cleaning corners of snow, steaming catch basins, etc. He stated that the potholes on Somo Ave will not
33 hold patch, he is looking into changing the Local Road Improvement Project funds from Bradley Farm Rd
34 to Somo Ave.
35

36 Water Leadsperson Report: HANNA reported that they have been cleaning hydrants of snow, started
37 water runs in problem areas, and soil samples have been taken for the PFAS treatment design.
38

39 Wastewater Leadsperson Report: THEIMER stated reported that we have had ongoing problems with
40 Esker Heights lift station, we are meeting with the Department of Natural Resources on the spill on
41 Southgate Dr. He stated that he is working with Cedar Corp on the update of the CMOM updates.
42

1 **Set Time and Date of Next Meeting:** The next meeting of the Board of Public Works will be the last
2 Tuesday of the month at 5:30 p.m. at City Hall in the Council Chambers or at the call of the
3 chairperson.

4
5 **Meeting Adjournment:** GARSKE MOVED to adjourn the meeting of the Board of Public Works and
6 KAHLE seconded. The VOTE was unanimous. The meeting was adjourned at 5:59 p.m.

DRAFT